


| REV. | DATE | BY-CHKD | REVISIONS |
|------|-------------|---------|-----------------|
| B | 11 NOV 94 | DAZ | PRN: E5-15 |
| C | 03 DEC 98 | MJS | PRN: E5-62 |
| D | 31 MAR 2020 | CMS MTS | PRN: P2020-0598 |
| E | 14 DEC 2021 | CMS MBT | PRN: P2021-2421 |

SEE DRAWING J-E5-1 FOR PART DETAILS AND INSTALLATION INSTRUCTIONS.


TO DETERMINE THE CORRECT PART NUMBER FOR YOUR APPLICATION:

ASSEMBLED AND PACKAGED LATCH (WILL ONLY INSTALL IN PANELS 1mm TO 6mm THICK, AND GRIP MUST BE AT LEAST 4mm GREATER THAN PANEL THICKNESS)



UNASSEMBLED LATCH / COMPONENTS SHIPPED SEPARATELY (REQUIRED FOR PANELS GREATER THAN 6mm THICK)
 ONE HOUSING, ONE DRIVE STUD, AND ONE PAWL/HARDWARE PACKAGE REQUIRED FOR A COMPLETE ASSEMBLY

HOUSING:



HOUSING STYLE
 1 = HOUSING I (FOR PANELS 1 TO 6mm THICK AND GRIP 0 TO 20mm)
 2 = HOUSING II (FOR PANELS 1 TO 14mm THICK AND GRIP 6 TO 28mm)

DRIVE STUD:



DRIVE STUD STYLE
 1 = FOR USE WITH HOUSING I
 2 = FOR USE WITH HOUSING II

ACTUATION STYLE (SEE BELOW)

FINISH
 1 = TEXTURED CHROME PLATE
 5 = BLACK POWDER COAT

PAWL/HARDWARE PACKAGE: E5-P-YYZ

PAWL TYPE (SEE BELOW)

SEALING OPTION
 0 = NO O-RING OR SEALING WASHER
 1 = O-RING AND SEALING WASHER INCLUDED FOR IP-65/NEMA 12 RATING

| ACTUATION STYLE | | PAWL TYPE | | | |
|-----------------|----|----------------------|-----------------------|----|--|
| | | GRIP (mm) | | | |
| | | WHEN USING HOUSING I | WHEN USING HOUSING II | YY | |
| | 00 | DO NOT USE | 6 | 00 | |
| | 01 | | 8 | 01 | |
| | 02 | | 10 | 02 | |
| | 03 | | 12 | 03 | |
| | 04 | | 14 | 04 | |
| | 05 | | 16 | 05 | |
| | 06 | | 18 | 06 | |
| | 07 | | 20 | 07 | |
| | 11 | | 22 | 08 | |
| | 12 | | 24 | 09 | |
| | | | 26 | 10 | |
| | | | 28 | 11 | |